NH Public Utilities Commission

REC Aggregator Portal

NHPUC 22APR'16PM2:37

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE
Basic Information
Who is submitting this request?
Aggregator
Aggregator Batch Number
KE042016
Are you registered in NH
YesNo
Aggregator name
Knollwood Energy - 14625
NH Reg #
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
Derek Maurice

Facility Owner email
derek.maurice@gmail.com
Owner Phone
617-680-8861
Facility Address
59 Patten Hill Rd
Facility Town/City
Candia
Facility State
NH
Facility Zip
03034
Yes No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON75277
Date of Initial Operation
04/08/2016
Facility Operator Name, if applicable
Panel Make #1
SunEdison
Panel Model
F270
Panel Quantity
18
Panel Rated Output
270

More Panel types?

No Yes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
More Panel types?
No Yes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
4860
Inverter Quantity
18
Inverter Make
Enphase Energy
Add'l Inverter Quantity
NA NA
Additional Inverter Make
None

Rated Output - Primary Inverter
215
Rated Output - Additional Inverter
System capacity based on single inverter make
3870
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
4.05
Revenue Grade Meter Make
Hialeah
Was this facility installed directly by the customer (no electrician involved)?
O Yes O No
Electrician Name & Number
Troy Diamond 12218M
Other Electrician Name & Number
Installation Company
Granite State Solar
Other Installation Company Name
Other Inst. Company Address
Other Mist. Company Address
Other Inst. Company City
Other Inst. Company State

Other Inst. Company Zip
Independent Monitor Name & Company Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier? Yes No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B. https://fs30.formsite.com/jan1947/files/f-5-99-6598900_nDlbO6SI_N4983_Maurice_PVCertificate_o
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.
Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6598900_rYZjdrlM_Maurice_NHOS.pdf

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6598900_gXuKP215_N4983_Maurice_PV_-_Processec

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Kan Jor


Print Name

Karen Tonnesen

Date Signed

04/20/2016

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



N4983

Simplified Process Interconnection Application and Service Agreement

		Eversource Applicati	on Project ID#:	N4983
Contact Information:				
Legal Name and Address of Interconnectin	a Custom	er (or Company name if anom	nrista)	
Customer or Company Name (print): Dere		or (or, company name, ir appro	priate)	
Contact Person, if Company:				
Mailing Address: 59 Patten Hill Rd				
	Chadas	New Hampshire	71 0 1	03034
/047\ 000 0004			Zip Code:	
		(Evening):		nomi
Facsimile Number:		E-Mail Address: de	ex.mauroe@gman	COII
Alternative Contact Information (e.g., Sy Name: Granite State Solar	ystem inst	allation contractor or coordinat	ing company, if ap	ppropriate):
Mailing Address: 197 North Main St				
City: Boscawen	State:	New Hampshire	Zip Code:	03303
Telephone (Daytime): (603) 369-4318				
Facsimile Number:				ar.com
Name: Mailing Address: City:				
Telephone (Daytime):				
Facsimile Number:	7 11	E-IVIBII Address:		
Facility Site Information: Facility (Site) Address: 59 Patten Hill Rd	/			
City: Candia	_State:	NH	Zip Code:	03034
Service Company: Eversource	_ Accoun	nt Number: 56749980058	Meter Nun	ber \$71 041 478
Account and Meter Number: Please consult Number on this application. If the facility is	an actual to be inst	Eversource electric bill and en alled in a new location, please	ter the correct Acc provide the Evers	count Number and Meter ource Work Request number
Eversource Work Request #		- The state of the		
Non-Default' Service Customers Only:				
Competitive Electric				
Energy Supply Company:		Acc	count Number:	
(Customer's with a Competitive Energy Sup	ply Comn			ir contract with their Fnero
Supply Company.)		9,000	Triming of his	The state of the s

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:	
Generator/ Model Name &	
Inverter Manufacturer: Enphase Number: m215	Quantity: 18
Nameplate Rating: .225 (kW) (kVA) 246 (AC Volts)	Phase: Single Three
Nameplate Rating: The AC Nameplate rating of the individual inverter.	
System Design Capacity: 4.05 (kW) (kWA) Battery Backup: Yes	No No
System Design Capacity: The system total of the inverter AC ratings. If there are multiple inver	ters installed in the system, this is the
sum of the AC nameplate ratings of all inverters.	
Net Metering: If Renewably Fueled, will the account be Net Metered? Yes No	
Prime Mover: Photovoltaic Reciprocating Engine Fuel Cell Turbine	Other
Energy Source: Solar Wind Hydro Diesel Natural Gas Fuel Oil	Other
Inverter-based Generating Facilities:	
UL 1741 / IEEE 1547.1 Compliant (Refer To Part Puc 906 Compliance Path For Inverter Units, I	Part Puc 906.01 Inverter Requirements)
/Yes No 🗌	
The standard UL 1741.1 dated May, 2007 or later, "Inverters, Converters, and Controllers for U	
Systems," addresses the electrical interconnection design of various forms of generating equipment of the control of the contr	
submit their equipment to a Nationally Recognized Testing Laboratory (NRTL) that verifies co term "Listed" is then marked on the equipment and supporting documentation. Pl	
provided by the inverter manufacturer describing the inverter's UL 1741/IEEE 1547.1 lis	
External Manual Disconnect Switch:	
An External Manual Disconnect Switch shall be installed in accordance with 'Part Puc 905 Techn	nical Requirements For
Interconnections For Facilities, Puc 905.01 Requirements For Disconnect Switches and 905.02 Disco	onnect Switch.'
Yes No No	
Location of External Manual Disconnect Switch: Next to the meter	
Project Estimated Install Date: November Project Estimated In-Service	Date: November
Interconnecting Customer Signature:	
I hereby certify that, to the best of my knowledge, all of the information provided in this application	ation is true and I agree to the Terms
and Conditions for Simplified Process Interconnections attached hereto:	
0.541	11.20 1
Customer Signature: 1600000 Title: Homeowner	Date: 11-25-15
Please include a one-line and/or three-line diagram of proposed installation. Diagram must	indicate the generator connection
point in relation to the customer service panel and the Eversource meter socket. Applications	s without such a diagram may be
returned.	
For Eversource Use Only	
Approval to Install Facility:	
Installation of the Facility is approved contingent upon the Terms and Conditions For Simplifie	d Process Interconnections of this
Agreement, and agreement to any system modifications, if required.	
Are system modifications required? Yes No No To be Determined	
Company Signature: Ilfuhaul Ulotta Title: SR. EARJA	VEEL Date: 12.33.15
Eversource SPIA rev. 03/14	Page 2 of 4

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No	Date of inspection/Witness Test:
--	----------------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's feas, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

Eversource SPIA rev. 03/14 Page 3 of 4

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA




Exhibit B - Certificate of Completion for Simplified Process Interconnections

	Owner-installed		
Customer or Company Name (print): Derek h	Aaurice.		
Confact Person, if Company:			
Mailing Address: 59 Patten Hill Rd			
	State: New Hampshire		03034
Telephone (Daytime): (617) 680-8861			
Recsimile Number:	E-Mail Address: derek.mau	urice@gmail.co	m.
Facility Information:	Eversource Met	er# <u>5710414</u>	78
Address of Facility (if different from above)			
City)	Sank	Zip Code:	
Electrical Contractor Contact Information:			
Electrical Contractor's Name (if appropriate):	Granite State Solar		
Mailing Address: 197 North Main St		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
City: Boscawen	State: New Hampshire	Zip Code:	03303
Telephone (Daytime). (603) 369-4318	(Eyening);		
Pacsimile Number:	E-Mail Address _ justin@gra	anitestatesolar	eom:
License number: 0366 C			
Date of approval to install Facility granted by the	Company: 12/22/15		
Eversource Application ID number: #N 4983			
Inspections			
The system has been installed and inspected in co	mpliance with the local Building/Elec	trical Code of:	
Sty. Condita	County: Rocking La		
Signed (Local Electrical Wiring Inspector, or attac			
Signature: Dan R Mun			
Name (printed David R m	STATE OF THE SE	Date: 4/8	15
Customer Certification:			
t hereby certify that, to the best of my knowledge, Completion is true and correct. This system has be standards. Also, the initial start-up test required by	een installed and shall be operated in	compliance with	tion co applicabl
Please remember to provide digital photos of the required), the existing Eversource meter, the in	te installation, including the AC discoverters, and the point of electrical i	connect switch (interconnection.	

a condition of interconnection you are required to send/fax a copy of this form to:

Eversource
Distributed Generation
780 North Commercial Street
P O. Box 330, Manchester, NH 03105-0330
Fax No.. (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The Information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my hehalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

DEREK MAURICE

Printed Name of signature owner

Signature of system owner